according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

LUB-KB5

Festo SE&Co. KG

www.Festo.com/en/msds

This safety data sheet

For a current version

is no longer being updated!

Ruiter Strasse 82 D-73734 Esslingen

Klüberplex BE 31-502

Date of last issue: 2021-07-14 Version Revision Date:

Date of first issue: 2014-10-30 Print Date: 2022-04-25 1.10 2022-04-25

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Klüberplex BE 31-502

Article-No. 017126

Chemical nature Mineral oil.

special calcium soap

Manufacturer or supplier's details

please contact the manufacturer. Company name of supplier Klüber Lubrication München

Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com

E-mail address of person

mcm@klueber.com

responsible for the SDS Material Compliance Management

National contact : Klüber Lubrication (Shanghai) Co., Ltd.

> No.88 Tuo Qing Road Qingpu Industrial Zone Shanghai 201700

China

Phone: +86 21 69225666 Email: info@cn.klueber.com

www.klueber.com.cn

Klüber Lubrication China Limited Room 1012 Shatin Galleria

18-24 Shan Mei Street, Fotan, Shatin, N.T.

Hong Kong China

Phone: +852 26920191 Email: info@cn.klueber.com

www.klueber.com.cn

+86 532 8388 9090 (NRCC, only for hazardous chemicals) Emergency telephone number:

+86 21 69225521

Recommended use of the chemical and restrictions on use

Recommended use : Grease

according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Restrictions on use : Restricted to professional users.

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: pasteColour: brownOdour: characteristic

Not a hazardous substance or mixture.

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Residual oils (petroleum), hydrotreated	64742-57-0	>= 50 -< 70
Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide	1282612-32-1	>= 20 -< 30
Benzenamine, N-phenyl-, reaction products	68411-46-1	>= 1 -< 2.5
with 2,4,4-trimethylpentene		



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

4. FIRST AID MEASURES

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Remove contaminated clothing. If irritation develops, get med-

ical attention.

Wash off with soap and water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Do not induce vomiting without medical advice.

Most important symptoms

and effects, both acute and

delayed

No information available.

None known.

Notes to physician : No information available.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Exposure to decomposition products may be a hazard to

health.

according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Evacuate personnel to safe areas.

Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release

(dust).

Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash hands and face before breaks and immediately after

handling the product.

Avoidance of contact : No materials to be especially mentioned.

Storage

Conditions for safe storage : Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

•	•			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Residual oils (petroleum), hy-	64742-57-0	TWA (Inhal-	5 mg/m3	ACGIH
drotreated		able particu-		(2013-03-01)
		late matter)		



according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Engineering measures : none

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Eye/face protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : Not applicable

according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : < 0.001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0.96 (20 °C)

Reference substance: Water The value is calculated

Density : 0.96 g/cm3 (20 °C)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Oxidizing properties : No data available

Sublimation point : No data available

10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Residual oils (petroleum), hydrotreated:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 402

according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hy-

droxide:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Result : No eye irritation
Assessment : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Components:

Residual oils (petroleum), hydrotreated:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Does not cause respiratory sensitisation.Does not cause respiratory sensitisation.

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Test Type : Maximisation Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Genotoxicity in vitro : Test Type: Ames test

Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

GLP: yes

Carcinogenicity

Product:

Remarks : No data available

Components:

Residual oils (petroleum), hydrotreated:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

: Remarks: No data available

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Product:

This information is not available.

Components:

Residual oils (petroleum), hydrotreated:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and

according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

the toxicology of similar products.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Residual oils (petroleum), hydrotreated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 48 h Test Type: Immobilization

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

aquatic invertebrates Exposure time: 48 h

Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

Method: OECD Test Guideline 201

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Physico-chemical removabil- : Remarks: No data available

ity

Components:

Residual oils (petroleum), hydrotreated:

Biodegradability : Result: Not rapidly biodegradable

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Biodegradability : Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 26.1 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and calcium hydroxide:

Partition coefficient: n-

octanol/water

: log Pow: 0.9 - 18



according to GB/T 16483 and GB/T 17519



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Bioconcentration factor (BCF): 1,730

Partition coefficient: n- : log Pow: 6.66 (23 °C)

octanol/water pH: 6.67

Method: OECD Test Guideline 123

GLP: yes

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environ-

mental compartments

Remarks: No data available

Other adverse effects

Product:

Additional ecological infor-

mation

No information on ecology is available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code



according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

Not regulated as a dangerous good

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

China Severely Restricted Toxic Chemicals for Import : Not applicable

and Export

Catalogue of Hazardous Chemicals : Not applicable

The components of this product are reported in the following inventories:

IECSC : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with



according to GB/T 16483 and GB/T 17519 CN



Klüberplex BE 31-502

Version Revision Date: Date of last issue: 2021-07-14

1.10 2022-04-25 Date of first issue: 2014-10-30 Print Date: 2022-04-25

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

