

CERTIFICATE OF COMPLIANCE

Certificate Number 20150909-MH19482
Report Reference MH19482-20150605
Issue Date 2015-SEPTEMBER-09

Issued to: FESTO AG & CO KG
RUITER STR 82
73734 ESSLINGEN GERMANY

This is to certify that representative samples of COMPONENT - VALVES, ELECTRICALLY OPERATED
See addendum page for models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 429 & CAN/CSA C22.2 No. 139-13 Standard for Electrically Operated Valves.

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20150909-MH19482
Report Reference MH19482-20150605
Issue Date 2015-SEPTEMBER-09


This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General Purpose Valves, Cat. Nos. MPA, followed by C, followed by VI, followed by additional suffixes numbers and letters.

Conditions of Acceptability:

1. These valves have been evaluated for connection to an NEC Class 2 source only.
2. These valves are only intended for use in indoor-dry locations only.
3. These valves are to be factory-wired only.
4. The suitability of the factory-wiring, including mating connectors, for secureness, and grounding of dead-metal, shall be determined in the end-product.
5. These valves are intended for use in an ultimate electrical enclosure, and the need for an electrical enclosure for the valves shall be determined in the end-product application.
6. These valves are intended for use in a suitable enclosure or mounted in a guarded and protected location where the valve body will be protected against impact.
7. The suitability of the grounding/bonding connection shall be evaluated in the end-product application.
8. The suitability of the fluid connections to these valves, with respect to securement and leakage, are to be determined in the end-product application.
9. These valves are intended to be used in conjunction with metallic housing connectors for air-tubes manufactured by Festo with the following fittings designation and tube size outside dimensions:

Fittings designation	Tube size
M5	
G1/8, G1/4, G3/8	Diameter 3 mm to 12 mm,
UNF5/32	Diameter 1/8" to 1/2"
NPT1/8, NPT1/4, NPT3/8	



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

