

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-1800055
Report Reference MH19482-20150605
Date 13-Dec-2018

Issued to: Festo AG & Co. KG
Ruiter Strasse 82 Esslingen
Germany 73734

**This is to certify that
representative samples of**

YIOZ8 - Electrically Operated Valves Components Certified
for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 No. 139-2013 - Revised 1 Feb 2016
Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified
and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-1800055
Report Reference MH19482-20150605
Date 13-Dec-2018


This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cat. Nos. MPA, followed by C, followed by VI,	General purpose air valves

Conditions of Acceptability:

1. These valves have been evaluated for connection to an NEC Class 2 source only.
2. These valves are only intended for use in indoor-dry locations only.
3. These valves are to be factory-wired only.
4. The suitability of the factory-wiring, including mating connectors, for secureness, and grounding of dead-metal, shall be determined in the end-product.
5. These valves are intended for use in an ultimate electrical enclosure, and the need for an electrical enclosure for the valves shall be determined in the end-product application.
6. These valves are intended for use in a suitable enclosure or mounted in a guarded and protected location where the valve body will be protected against impact.
7. The suitability of the grounding/bonding connection shall be evaluated in the end-product application.
8. The suitability of the fluid connections to these valves, with respect to securement and leakage, are to be determined in the end-product application.
9. These valves are intended to be used in conjunction with metallic housing connectors for air-tubes manufactured by Festo with the following fittings designation and tube size:

Fittings designation	Tube size
M5 G1/8, G1/4, G3/8 UNF5/32 NPT1/8, NPT1/4, NPT3/8	Diameter 3 mm to 12 mm, Diameter 1/8" to 1/2"



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>